



EXPERTISE LEAD EXCELLENCE
Temco



HEAVY DUTY

DRUM BRAKE PARTS





TEMCO Model: MPKT-1816HD
 Brake Shoe FMSI: 4514G, 4515G, 4524B, 4567
 Application: MERITOR P 16.5" brakes
 ROCKWELL P 16.5" brakes
Cross Reference
 MERITOR: KIT9001 Dayton: 081003
 SPICER: HK14SD SIRCO: TK4MPHD
 BWP: M-K7 EUCLID: E-1816HD
 TRAILMOBILE: 381816HD LELAND: K75



TEMCO Model: MPKT-1816S
 Brake Shoe FMSI: 4514G, 4515G, 4524B, 4567
 Application: MERITOR P 16.5" brakes
 ROCKWELL P 16.5" brakes
Cross Reference
 MERITOR: KIT9000 Dayton: 081001
 SPICER: HK14XLS SIRCO: TK4
 BWP: EUCLID: E-1816S
 TRAILMOBILE: 381816S LELAND: K60



TEMCO Model: MPKT-1816SHD
 Brake Shoe FMSI: 4514G, 4515G, 4524B, 4567
 Application: MERITOR 16.5" brakes
 ROCKWELL P 16.5" brakes
Cross Reference
 MERITOR: R5090001 Dayton: 081004
 SPICER: TA14A SIRCO: TK4HD
 BWP: M-K2 EUCLID: E-1816SHD
 TRAILMOBILE: 381816SHD LELAND: K45



TEMCO Model: MPKT-1887AHD Brake Shoe
 FMSI: 4223A, 4311J, 4674
 Application: EATON 16.5" brakes
Cross Reference
 MERITOR: R507002 Dayton: 081122
 SPICER: HK24SDLM SIRCO:
 BWP: M-K99 EUCLID: EK1HD
 TRAILMOBILE: 381887AHD LELAND:





TEMCO Model: MPKT-1887ASHD
Brake Shoe FMSI: 4223A, 4311J, 4674

Application: EATON 16.5" brakes

Cross Reference

- | | |
|----------------------|--------------------|
| MERITOR: R507003 | Dayton: 081053 |
| SPICER: HK24XLSTM | SIRCO: EK1HDS |
| BWP: M-K10 | EUCLID: E-1887ASHD |
| TRAILMOBILE: 7007237 | LELAND: K42 |



TEMCO Model: MPKT-2121
Brake Shoe FMSI: 4515E

Application: FRUEHAUF 16.5" brakes

Cross Reference

- | | |
|----------------------|----------------|
| MERITOR: R507011 | Dayton: 081006 |
| SPICER: HK17XLS | SIRCO: FK1 |
| BWP: | EUCLID: E-2121 |
| TRAILMOBILE: 7007203 | LELAND: L43 |



TEMCO Model: MPKT-2121HD
Brake Shoe FMSI: 4515E

Application: FRUEHAUF 16.5" brakes

Cross Reference

- | | |
|------------------|------------------|
| MERITOR: R507012 | Dayton: 081134 |
| SPICER: HK17XLS | SIRCO: FK1HD |
| BWP: | EUCLID: E-2121HD |
| TRAILMOBILE: | LELAND: |



TEMCO Model: MPKT-2126
Brake Shoe FMSI: 4591

Application: EATON 12.25" brakes

Cross Reference

- | | |
|---------------------|----------------|
| MERITOR: R507000 | Dayton: 081076 |
| SPICER: TA40A | SIRCO: LB4 |
| BWP: M-K46 | EUCLID: E-2126 |
| TRAILMOBILE: 382126 | LELAND: K106 |





TEMCO Model: MPKT-2286
Brake Shoe FMSI: 4649

Application: FRUEHAUF 12.25" brakes

Cross Reference

- | | |
|---------------------|----------------|
| MERITOR: R507005 | Dayton: 081077 |
| SPICER: TA41A | SIRCO: LB5 |
| BWP: M-K47 | EUCLID: E-2286 |
| TRAILMOBILE: 382286 | LELAND: K105 |



TEMCO Model: MPKT-2402HD
Brake Shoe FMSI: 4536B, 4591, 4661C, 4700

Application: STANDARD FORGE 12.25" brakes

Cross Reference

- | | |
|-----------------------|------------------|
| MERITOR: R507015 | Dayton: 081074 |
| SPICER: HK43XLS | SIRCO: LB1 |
| BWP: M-K12 | EUCLID: E-2402HD |
| TRAILMOBILE: 382402HD | LELAND: K69 |



TEMCO Model: MPKT-2769HD
Brake Shoe FMSI: 4514G, 4515E, 4515G, 4524B, 4551B, 4644B, 4707, 4711, 4718, 4720

Application: HENDRICKSON 16.5" brakes
MERITOR, SPICER 16.5" brakes

Cross Reference

- | | |
|---------------------|------------------|
| MERITOR: KIT8000 | Dayton: 081088 |
| SPICER: HK29 | SIRCO: QK1NT |
| BWP: M-K39 | EUCLID: E-2769HD |
| TRAILMOBILE: 382769 | LELAND: K128K |



TEMCO Model: MPKT-2769S
Brake Shoe FMSI: 4514G, 4515E, 4515G, 4524B, 4551B, 4644B, 4707, 4711, 4718, 4720

Application: HENDRICKSON 16.5" brakes
MERITOR, SPICER 16.5" brakes

Cross Reference

- | | |
|----------------------|-----------------|
| MERITOR: R-508000 | Dayton: 081702 |
| SPICER: HK29XLS | SIRCO: QK1 |
| BWP: | EUCLID: E-2769S |
| TRAILMOBILE: 382769S | LELAND: K70 |





Motorc Model: MPKT-2769SHD
Brake Shoe FMSI: 4514G, 4515E, 4515G, 4524B
4551B, 4644B, 4707, 4711, 4718, 4720
Application: HENDRICKSON 16.5" brakes
MERITOR, SPICER 16.5" brakes

Cross Reference
MERITOR: KIT8000HD Dayton: 081132
SPICER: HK29XLS SIRCO: 45154707QHD
BWP: M-K72 EUCLID: E-2769SHD
TRAILMOBILE: LELAND: K329



Motorc Model: MPKT-2821
Brake Shoe FMSI: 4527B

Application: EATON 18" brakes

Cross Reference
MERITOR: R507072 Dayton: 081096
SPICER: HK26 SIRCO: EK2
BWP: M-K58 EUCLID: E-2821
TRAILMOBILE: 382821 LELAND: K275



Motorc Model: MPKT-3518
Brake Shoe FMSI: 4471B

Application: MERITOR 18" brakes

Cross Reference
MERITOR: KIT9179 Dayton: 081105
SPICER: HK68 SIRCO: RK1
BWP: M-K59 EUCLID: E-3518
TRAILMOBILE: LELAND: K274



Motorc Model: MPKT-3710HD
Brake Shoe FMSI: 4515E

Application: FRUEHAUF 16.5" brakes / XEM

Cross Reference
MERITOR: R507010 Dayton: 081130
SPICER: HK34SD SIRCO: XK1NT
BWP: M-K42 EUCLID: E-3710HD
TRAILMOBILE: 383710HD LELAND: K354





Motorc Model: MPKT-3710S
Brake Shoe FMSI: 4515E

Application: FRUEHAUF 16.5" brakes / XEM

Cross Reference

- | | |
|----------------------|-----------------|
| MERITOR: R507008 | Dayton: 081091 |
| SPICER: HK34XLS | SIRCO: XK3 |
| BWP: | EUCLID: E-3710S |
| TRAILMOBILE: 383710S | LELAND: K135 |



Motorc Model: MPKT-3710SHD
Brake Shoe FMSI: 4515E

Application: FRUEHAUF 16.5" brakes / XEM

Cross Reference

- | | |
|------------------------|-------------------|
| MERITOR: R507010 | Dayton: 081136 |
| SPICER: TA341A | SIRCO: XK3HD |
| BWP: | EUCLID: E-3710SHD |
| TRAILMOBILE: 383710SHD | LELAND: K136 |




Motorc Model: MPKT-3782
Brake Shoe FMSI: 4536E, 4692

Application: SPICER 12.25" brakes

Cross Reference

- | | |
|---------------------|----------------|
| MERITOR: R507076 | Dayton: 081146 |
| SPICER: HK47XLS125 | SIRCO: LB6 |
| BWP: M-K83 | EUCLID: E-3782 |
| TRAILMOBILE: 383782 | LELAND: K137 |



Motorc Model: MPKT-3801
Brake Shoe FMSI: 4223A, 4311J, 4317G

Application: EATON 16.5" brakes

Cross Reference

- | | |
|-------------------|----------------|
| MERITOR: R507077 | Dayton: 081103 |
| SPICER: HK24XLSHM | SIRCO: EK3 |
| BWP: M-K6 | EUCLID: E-3801 |
| TRAILMOBILE: | LELAND: K316 |





Motorc Model: MPKT-3869
Brake Shoe FMSI: 1308TT

Application: MERITOR 15" brakes

Cross Reference

- | | |
|---------------------|----------------|
| MERITOR: KIT8029 | Dayton: 081111 |
| SPICER: HK55 | SIRCO: RF3 |
| BWP: M-K79 | EUCLID: E-3869 |
| TRAILMOBILE: 383869 | LELAND: K282 |



Motorc Model: MPKT-3895S
Brake Shoe FMSI: 4514G, 4524B, 4551B

Application: UNIVERSAL 16.5" brakes

Cross Reference

- | | |
|------------------|-----------------|
| MERITOR: R508014 | Dayton: 081428 |
| SPICER: HK38 | SIRCO: QK2S |
| BWP: | EUCLID: E-3895S |
| TRAILMOBILE: | LELAND: K125 |



Motorc Model: MPKT-3895SHD
Brake Shoe FMSI: 4514G, 4524B, 4551B, 4707, 4711, 4718, 4720

Application: UNIVERSAL 16.5" brakes

Cross Reference

- | | |
|------------------------|-------------------|
| MERITOR: KIT8014HD | Dayton: 081704 |
| SPICER: HK38XLS | SIRCO: QK2SHD |
| BWP: | EUCLID: E-3895SHD |
| TRAILMOBILE: 383895SHD | LELAND: K304 |



Motorc Model: MPKT-4515QN
Brake Shoe FMSI: 4514G, 4515E, 4515G, 4524B, 4551B, 4644B, 4707, 4711, 4718, 4720

Application: HENDRICKSON 16.5" brakes
MERITOR, SPICER 16.5" brakes

Cross Reference

- | | |
|--------------|-------------------|
| MERITOR: | Dayton: 081702 |
| SPICER: 281A | SIRCO: QK1 |
| BWP: | EUCLID: E-4515Q-N |
| TRAILMOBILE: | LELAND: K70 |





Motorc Model: MPKT-4515QHDN
Brake Shoe FMSI: 4514G, 4515E, 4515G, 4524B, 4551B, 4644B, 4707, 4711, 4718, 4720
Application: HENDRICKSON 16.5" brakes
MERITOR, SPICER 16.5" brakes

Cross Reference

MERITOR:	Dayton: 081703
SPICER: HK29XLS	SIRCO: QK1HD
BWP:	EUCLID: E-4515QHD-N
TRAILMOBILE:	LELAND: K128



Motorc Model: MPKT-4515U
Brake Shoe FMSI: 4514G, 4524B, 4551B

Application: UNIVERSAL 16.5" brakes

Cross Reference

MERITOR: MKT4515U	Dayton: 08108812
SPICER: HK38	SIRCO: QK2
BWP:	EUCLID: E-4515U
TRAILMOBILE:	LELAND: K125



Motorc Model: MPKT-4515X
Brake Shoe FMSI: 4515E

Application: FRUEHAUF 16.5" brakes

Cross Reference

MERITOR: MKT4515X	Dayton: 08109100
SPICER: HK34XLS	SIRCO: XK3
BWP:	EUCLID: E-4515X
TRAILMOBILE:	LELAND: K135



Motorc Model: MPKT-4515XHD
Brake Shoe FMSI: 4515E

Application: FRUEHAUF 16.5" brakes

Cross Reference

MERITOR: MKT4515XHD	Dayton: 081136
SPICER: TA341A	SIRCO: XK3HD
BWP:	EUCLID: 4515XHD
TRAILMOBILE:	LELAND: K136





Motorc Model: MPKT-4691
Brake Shoe FMSI: 1308TT

Application: MERITOR 15" brakes

Cross Reference

MERITOR: KIT9094	Dayton: 081107
SPICER: HK51	SIRCO: RF1
BWP: M-K52	EUCLID: E-4691
TRAILMOBILE: 384691	LELAND: K260




Motorc Model: MPKT-4702KT
Brake Shoe FMSI: 4702, 4703, 4704, 4705

Application: MERITOR 15" brakes
ROCKWELL P 16.5" brakes

Cross Reference

MERITOR:	Dayton: 08116000
SPICER:	SIRCO: RF5
BWP: M-K98	EUCLID: E-4702-KT
TRAILMOBILE:	LELAND: K318



Motorc Model: MPKT-4709ESN
Brake Shoe FMSI: 4709, 4719

Application: EATON 16.5" brakes

Cross Reference

MERITOR:	Dayton: 08114800
SPICER:	SIRCO: ES1
BWP: M-K84	EUCLID: E-4709ES-N
TRAILMOBILE:	LELAND: K295




Motorc Model: MPKT-5139
Brake Shoe FMSI: 1308TT, 1443TT

Application: EATON 15" brakes

Cross Reference

MERITOR: R507004	Dayton: 081113
SPICER: HK54	SIRCO: EF1
BWP: M-K77	EUCLID: E-5139
TRAILMOBILE: 385139	LELAND: K263






Motorc Model: MPKT-5481A
Brake Shoe FMSI: 4709, 4719

Application: EATON 16.5" brakes

Cross Reference

- | | |
|---------------------|-----------------|
| MERITOR: R507057 | Dayton: 081148 |
| SPICER: HK63 | SIRCO: ES1 |
| BWP: M-K84 | EUCLID: E-5481A |
| TRAILMOBILE: 385481 | LELAND: K295 |



Motorc Model: MPKT-5515
Brake Shoe FMSI: 4701

Application: SPICER 16.5" brakes

Cross Reference

- | | |
|------------------|----------------|
| MERITOR: R507063 | Dayton: 081162 |
| SPICER: HK32SD | SIRCO: XL1 |
| BWP: M-K91 | EUCLID: E-5515 |
| TRAILMOBILE: | LELAND: K305 |



Motorc Model: MPKT-6999SHD
Brake Shoe FMSI: 4514G, 4515E, 4515G, 4524B, 4551B, 4644B, 4707, 4711, 4718, 4720

Application: HENDRICKSON 16.5" brakes
MERITOR, SPICER 16.5" brakes

Cross Reference

- | | |
|----------------------|--------------------|
| MERITOR: KIT8000MBHD | Dayton: 081701 |
| SPICER: | SIRCO: QK1A, QK2HD |
| BWP: | EUCLID: E-6999SHD |
| TRAILMOBILE: | LELAND: K128A |



Motorc Model: MPKT-7899
Brake Shoe FMSI: 1308TT

Application: MERITOR 15" brakes

Cross Reference

- | | |
|---------------------|----------------|
| MERITOR: R508030 | Dayton: 081112 |
| SPICER: HK55, HK77 | SIRCO: RF3A |
| BWP: M-K79-B | EUCLID: E-7899 |
| TRAILMOBILE: 387899 | LELAND: K282 |





Motorc Model: MPKT-8925
Brake Shoe FMSI: 4708

Application: EATON 16.5" brakes

Cross Reference

MERITOR: R507062	Dayton: 081154
SPICER: HK67SD, HK67XLS	SIRCO: EQ1
BWP:	EUCLID: E-8925
TRAILMOBILE:	LELAND: K322




Motorc Model: MPKT-9064
Brake Shoe FMSI: 4702, 4703, 4704, 4705

Application: MERITOR 15" brakes

Cross Reference

MERITOR: KIT8824HD	Dayton: 081160
SPICER: TA66A	SIRCO: RF5
BWP: M-K98	EUCLID: E-9064
TRAILMOBILE:	LELAND: K318



Motorc Model: MPKT-9141
Brake Shoe FMSI: 4716E2, 4717

Application: EATON 15" brakes

Cross Reference

MERITOR: R507086	Dayton: 08104300
SPICER: HK90XLS	SIRCO: ES3
BWP: M-K114	EUCLID: E-9141
TRAILMOBILE:	LELAND: K356




Motorc Model: MPKT-9281
Brake Shoe FMSI: 4536E, 4692

Application: SPICER 12.25" brakes

Cross Reference

MERITOR: R507088	Dayton:
SPICER: HK48XLS-150	SIRCO: LB9
BWP:	EUCLID: E-9281
TRAILMOBILE:	LELAND: K335






Motorc Model: MPKT-9283
Brake Shoe FMSI: 4536E, 4692

Application: SPICER 12.25" brakes

Cross Reference

- | | |
|---------------------|----------------|
| MERITOR: R507090 | Dayton: |
| SPICER: HK47XLS-150 | SIRCO: LB8 |
| BWP: M-K83 | EUCLID: E-9283 |
| TRAILMOBILE: 389283 | LELAND: K336 |




Motorc Model: MPKT-9644
Brake Shoe FMSI: 4514G, 4524B, 4715, 4720

Application: MERITOR 16.5" brakes

Cross Reference

- | | |
|------------------|--------------------|
| MERITOR: KIT8081 | Dayton: 08108850 |
| SPICER: HK74XLS | SIRCO: MF1, MF2 |
| BWP: M-K106 | EUCLID: E-9644 |
| TRAILMOBILE: | LELAND: K292, K334 |



Motorc Model: MPKT-10244
Brake Shoe FMSI: 4709, 4726

Application: EATON 16.5" brakes

Cross Reference

- | | |
|------------------|-----------------|
| MERITOR: R507064 | Dayton: |
| SPICER: HK61SD | SIRCO: |
| BWP: M-K105 | EUCLID: E-10244 |
| TRAILMOBILE: | LELAND: K375 |



Motorc Model: MPKT-10244S
Brake Shoe FMSI: 4709, 4726

Application: EATON 16.5" brakes

Cross Reference

- | | |
|------------------|------------------|
| MERITOR: R507064 | Dayton: |
| SPICER: HK61XLS | SIRCO: ES2 |
| BWP: | EUCLID: E-10244S |
| TRAILMOBILE: | LELAND: |






Motorc Model: MPKT-10756
Brake Shoe FMSI: 4692

Application: SPICER 12.25" brakes

Cross Reference

MERITOR: R507092	Dayton: 08104900
SPICER:	SIRCO: LB10
BWP: M-K108	EUCLID: E-10756
TRAILMOBILE:	LELAND: K373



Motorc Model: MPKT-10760
Brake Shoe FMSI: 4719, 4725

Application: EATON 16.5" brakes

Cross Reference

MERITOR: R507094	Dayton: 08114920
SPICER: HK62	SIRCO: EF2
BWP: M-K113	EUCLID: E-10760
TRAILMOBILE:	LELAND: K376



Motorc Model: MPKT-10841A
Brake Shoe FMSI: 4227G, 4228B, 4398B

Application: MERITOR 14.5" brakes

Cross Reference

MERITOR:	Dayton: 08125102
SPICER: HK87	SIRCO: BK145FM
BWP:	EUCLID: E-10841-A
TRAILMOBILE:	LELAND:



Motorc Model: MPKT-10866A
Brake Shoe FMSI: 4227G, 4228B, 4398B

Application: EATON 14.5" brakes

Cross Reference

MERITOR:	Dayton: 08125102
SPICER: HK86	SIRCO: BK145FM
BWP:	EUCLID: E-10866-A
TRAILMOBILE:	LELAND:





Motorc Model: MPKT-10870
Brake Shoe FMSI: 4592A

Application: MERITOR 14.5" brakes

Cross Reference

MERITOR: KIT6003	Dayton: 08125300
SPICER: HK84	SIRCO: BK145R
BWP:	EUCLID: E-10870
TRAILMOBILE:	LELAND:




Motorc Model: MPKT-10875
Brake Shoe FMSI: 4591

Application: DEXTER 12.25" brakes

Cross Reference

MERITOR: R507095	Dayton: 08104700
SPICER: HK58XLS	SIRCO: LB3D
BWP: M-K112	EUCLID: E-10875
TRAILMOBILE:	LELAND: K353




Motorc Model: MPKT-11318
Brake Shoe FMSI: 4709, 4719

Application: EATON 16.5" brakes

Cross Reference

MERITOR:	Dayton:
SPICER:	SIRCO: K3
BWP:	EUCLID: E-11318
TRAILMOBILE:	LELAND:




Motorc Model: MPKT-11981
Brake Shoe FMSI: 4729

Application: EATON 15" brakes

Cross Reference

MERITOR: R615026	Dayton: 08114700
SPICER: 326514	SIRCO:
BWP:	EUCLID: E-11981
TRAILMOBILE:	LELAND: K515





Motorc Model: MPKT-14539
Brake Shoe FMSI: 4692

Application: SPICER 12.25" brakes

Cross Reference

MERITOR: R507017	Dayton:
SPICER: HK49-150	SIRCO:
BWP:	EUCLID: E-14539
TRAILMOBILE:	LELAND:



Motorc Model: MPKT-KIT4S
Brake Shoe FMSI: 4514G, 4515G, 4524B, 4567

Application: MERITOR 16.5" brakes

Cross Reference

MERITOR: KIT9002	Dayton:081001
SPICER: HK16XLS	SIRCO: TK1, TK2
BWP:	EUCLID: KIT-4S
TRAILMOBILE:	LELAND: K44A, K59



Motorc Model: MPKT-KIT4SHD
Brake Shoe FMSI:4514G, 4515G, 4524B, 4567

Application: MERITOR 16.5" brakes

Cross Reference

MERITOR: KIT9017NHD	Dayton: 081002
SPICER: HK16SD	SIRCO: TK1HD
BWP:	EUCLID: KIT-4SHD
TRAILMOBILE: 7007200	LELAND: K44, K44B, K115



Motorc Model: MPKT-KIT5
Brake Shoe FMSI: 4515E

Application: FRUEHAUF 16.5" brakes

Cross Reference

MERITOR: R-507013	Dayton: 081005
SPICER:	SIRCO: FK2, FK2HD
BWP:	EUCLID: KIT-5
TRAILMOBILE: 7007158	LELAND: K58





Motorc Model: MPKT-1601
Application:
 ROR, YORK, HENDRICKSON brakes

Cross Reference
 UC: A1601 MANSONS: CK1018



Motorc Model: MPKT-1702
Application:
 YORK, TEC brakes

Cross Reference
 UC: A1702 SAMPA:



Motorc Model: MPKT-1706
Application:
 BPW, ROR brakes

Cross Reference
 UC: A1706 SAMPA:



Motorc Model: MPKT-1707
Application:
 BPW, ROR brakes

Cross Reference
 UC: A1707 SAMPA:





Motorc Model: MPKT-1748

Application:
 ROR brakes

Cross Reference
 UC: A1748

MANSONS: 790.139



Motorc Model: MPKT-1749

Application:
 ROR brakes

Cross Reference
 UC: A1749

MANSONS: 790.148



Motorc Model: MPKT-1758

Application:
 ROR brakes

Cross Reference
 UC: A1758

SAMPA:



Motorc Model: MPKT-1762

Application:
 YORK, TEC brakes

Cross Reference
 UC: A1762

SAMPA:





Motorc Model: MPKT-1765

Application:
 ROR brakes

Cross Reference
 UC: A1765

SAMPA:



Motorc Model: MPKT-1766

Application:
 ROR brakes

Cross Reference
 UC: A1766

SAMPA:



Motorc Model: MPKT-1768

Application:
 MERITOR brakes: AXL126
 STELLOX brakes

Cross Reference
 UC: A1768

MANSONS: 780.000



Motorc Model: MPKT-1871

Application:
 MERITOR brakes

Cross Reference
 UC: A1871

MANSONS: 200.502





Motorc Model: MPKT-2840
Application:
 ROCKWELL, MERITOR, YORK brakes
 TEC, HENDRICKSON brakes

Cross Reference
 UC: A2840 SAMPA:



Motorc Model: MPKT-3000
Application:
 ROR brakes

Cross Reference
 UC: A3000 SAMPA:



Motorc Model: MPKT-3001
Application:
 MERITOR brakes: AXLLM1

Cross Reference
 UC: A3001 SAMPA:



Motorc Model: MPKT-3046
Application:
 ROR brakes: 15224724


Cross Reference
 UC: A3046 SAMPA:





Motorc Model: MPKT-5778
Application:
 SAF 16.5" BrakeS: 41577800

Cross Reference
 UC: A5778 SAMPA:



Motorc Model: MPKT-5781
Application:
 SAF brakes

Cross Reference
 UC: A5781 MANSONS: 780.025



Motorc Model: MPKT-5916A
Application:
 FRUEHAUF brakes

Cross Reference
 UC: A5916 MANSONS: 700.531



Motorc Model: MPKT-5952
Application:
 TRAILOR brakes

Cross Reference
 UC: A5952 SAMPA:





Motorc Model: MPKT-5959
Application:
FRUEHAUF brakes

Cross Reference
 UC: A5959

SAMPA:



Motorc Model: MPKT-5961
Application:
TRAILOR-SMB brakes

Cross Reference
 UC: A5961

SAMPA:



Motorc Model: MPKT-5962
Application:
FRUEHAUF-SMB brakes

Cross Reference
 UC: A5962

SAMPA:



Motorc Model: MPKT-8294
Application:
TRAILOR brakes

Cross Reference
 UC: A8294

SAMPA:





Motorc Model: MPKT-8299

Application:
TRAILOR brakes

Cross Reference
UC: A8299

SAMPA:



Motorc Model: MPKT-9823

Application:
BPW KR, H&R: 0980102100S, 0333134050

Cross Reference
UC: A9823
MANSON: CK1002

SAMPA: 070.525



Motorc Model: MPKT-9830

Application:
BPW: 0908446360

Cross Reference
UC: A9830

SAMPA: 070.546



Motorc Model: MPKT-9989

Application:
BPW NR: 0980102120

Cross Reference
UC: A9989

SAMPA:





Motorc Model: MPKT-0022
Application:
BPW 95: 0960102910

Cross Reference
UC: KLTH0022 SAMPA: 070.556



Motorc Model: MPKT-0023
Application:
SAF: 0333134050S

Cross Reference
UC: CLTH0023 SAMPA:



Motorc Model: MPKT-0033
Application:
ROR brakes

Cross Reference
UC: KLTH0033 SAMPA:



Motorc Model: MPKT-0034
Application:
MERITO LM: 21224830

Cross Reference
UC: KLTH0034 SAMPA:





Motorc Model: MPKT-0120

Application:
 ROR, BPW brakes

Cross Reference
 UC: KLTH0120

SAMPA:



Motorc Model: MPKT-0261

Application:
 BPW quick release brakes

Cross Reference
 UC: KLTH0261

SAMPA: 070.642



Motorc Model: MPKT-0262

Application:
 BPW brakes

Cross Reference
 UC: KLTH0262

SAMPA:



Motorc Model: MPKT-0263

Application:
 BPW brakes

Cross Reference
 UC: KLTH0263

SAMPA:






Motorc Model: MPKT-0264

Application:
BPW brakes

Cross Reference

UC: KLTH0264
MANSONS: MFQ3338

SAMPA: 070.640




Motorc Model: MPKT-0420

Application:
SAF brakes: 1265001900

Cross Reference

UC: KLTH0240

SAMPA:



Motorc Model: MPKT-0421

Application:
SAF SK3 brakes: 3054012901/3055012901

Cross Reference

UC: KLTH0421

SAMPA:



Motorc Model: MPKT-1011

Application:
MAN, Mercedes-Benz brakes: 3074200339

Cross Reference

UC/MANSONS: CK1011

SAMPA: 010.599

